### **BOICE-WILLIS CLINIC, PA**

Patient Name:	DOB:	MRN:
Patient Name:	1)()K'	MIKIM.
i aticiti i tailic.	DOD.	1711717.



## **Informed Consent**

Laser Resurfacing Procedures of the Skin

#### Informed Consent - Laser Resurfacing Procedures of Skin

Patient Name: DOB: MRN:	
-------------------------	--

#### **INSTRUCTIONS**

This is an informed consent document that has been prepared to help inform you about laser resurfacing procedures of the skin, potential risks, as well as alternative treatment(s).

It is important that you read this information carefully and completely. Please initial each page, indicating that you have read the page, and sign the consent for surgery as proposed by your plastic surgeon and agreed upon by you.

#### **GENERAL INFORMATION**

Lasers have been used by plastic surgeons as a surgical instrument for many years. Laser energy can be used to cut, vaporize, or selectively remove skin and deeper tissues. There are many different methods for the surgical use of lasers. Conditions such as wrinkles, sun damaged skin, scars and some types of skin lesions/disorders may be treated with a laser. In some situations, laser treatments may be performed at the same time as other surgical procedures.

Skin treatment programs may be used both before and after laser skin treatments in order to enhance the results.

#### **ALTERNATIVE TREATMENTS**

Alternative forms of treatment include not undergoing the proposed laser skin resurfacing procedure. Other forms of skin treatment (chemical peel) or surgical procedures (dermabrasion or excisional surgery) may be substituted. In certain situations, the laser may offer a specific therapeutic advantage over other forms of treatment. Alternatively, laser resurfacing procedures in some situations may not represent a better alternative to other forms of surgery or skin treatment when indicated. Risks and potential complications are associated with alternative forms of treatment that involve skin resurfacing or surgical procedures.

#### INHERENT RISKS OF LASER RESURFACING PROCEDURES OF SKIN

Every surgical procedure involves a certain amount of risk and it is important that you understand these risks and the possible complications associated with them. In addition, every procedure has limitations. An individual's choice to undergo a surgical procedure is should be based on a comparison between the risks and the potential benefits. Although the majority of patients do not experience these complications, you should discuss each of them with your plastic surgeon to make sure you understand all relevant consequences of laser resurfacing procedures of skin.

#### SPECIFIC RISKS OF LASER RESURFACING PROCEDURES OF SKIN

#### Infection:

Although infection following laser skin resurfacing is unusual, bacterial, fungal, and viral infections can occur. **Herpes simplex virus** skin infections can occur following a laser treatment. This applies to both individuals with a history of Herpes simplex virus infections (typically presenting as "cold sores") and individuals with no known history of Herpes simplex virus infections in the mouth area. Specific medications must be prescribed and taken both prior to and following the laser treatment procedure in order to suppress infection from this virus. Should an infection occur, additional treatment including antibiotics, hospitalization, or additional surgery may be necessary.

#### **Burns:**

Laser energy can produce burns that can lead to scarring. Adjacent structures, including the eyes, may be injured or permanently damaged by the laser beam. Burns are rare, yet represent the effect of heat produced within the tissues by laser energy. Additional treatment may be necessary to treat laser burns.

#### **Color Change:**

Laser resurfacing may potentially change the natural color of your skin. Skin redness usually lasts several days to weeks depending on the treatment and your skin type, but may occasionally persist for 6 months or longer following laser skin resurfacing. Be sure to discuss the likely duration of redness with your plastic

Page 1 of 7	Patient Initials	©2016 American Society of Plastic Surgeons®
This form is for reference purposes only. It	t is a general guideline and not a statement of standard of	care. Rather, this form should be edited and
amended to reflect policy requirements of y	your practice site(s), CMS and Joint Commission requirer	nents, if applicable, and legal requirements of
your individual states. The ASPS does not	certify that this form, or any modified version of this form	n, meets the requirements to obtain informed
consent for this particular procedure in the	jurisdiction of your practice.	

#### Informed Consent - Laser Resurfacing Procedures of Skin

Patient Name:	DOB:	MRN:	

surgeon. There is a possibility of irregular color variations within the skin including areas that are both lighter and darker. A line of demarcation between normal skin and skin treated with lasers can occur.

#### Accutane® (Isotretinoin):

Accutane® is a prescription medication used to treat certain skin diseases. If you have ever taken Accutane®, you should discuss this with your surgeon. This drug may impair the ability of skin to heal following treatments or surgery for a variable amount of time even after the patient has ceased taking it. Individuals who have taken this drug are advised to allow their skin adequate time to recover from Accutane before undergoing skin treatment procedures.

#### **Skin Tissue Pathology:**

Laser energy directed at skin lesions may potentially vaporize the lesion. Laboratory examination of the tissue specimen may not be possible.

#### **Visible Skin Patterns:**

Laser resurfacing procedures may produce visible patterns within the skin. The occurrence of this is not predictable.

#### **Distortion of Anatomic Features:**

Laser skin resurfacing can produce distortion of the appearance of the eyelids, mouth, and other visible anatomic landmarks. The occurrence of this is not predictable. Should this occur, additional treatment including surgery may be necessary.

#### **Damaged Skin:**

Skin that has been previously treated with chemical peels or dermabrasion, or damaged by burns, electrolysis (hair removal treatments), or radiation therapy may heal abnormally or slowly following treatment by lasers or other surgical techniques. The occurrence of this is not predictable. Additional treatment may be necessary. If you have ever had such treatment, you should inform your surgeon.

#### Infection:

Infection, although uncommon, can occur after surgery. Should an infection occur, additional treatment including antibiotics, hospitalization, or additional surgery may be necessary. It is important to tell your surgeon of any other infections, such as ingrown toenails, insect bites, tooth abscesses, or urinary tract infections that you may have. Infections in other parts of the body, may lead to an infection in the operated area.

#### Scarring:

All surgery leaves scars, some more visible than others. Although good wound healing after a surgical procedure is expected, abnormal scars may occur within the skin and deeper tissues. Scars may be unattractive and of a different color than the surrounding skin tone. Scar appearance may also vary within the same scar. Scars may be asymmetrical (appear different on the right and left side of the body). There is a possibility of visible marks in the skin from sutures. In some cases, scars may require surgical revision or treatment.

#### **Skin Contour Irregularities:**

Contour and shape irregularities may occur. Visible and palpable wrinkling of skin may occur. Residual skin irregularities at the ends of the incisions or "dog ears" are always a possibility when there is excessive redundant skin. This may improve with time, or it can be surgically corrected.

#### **Skin Discoloration/Swelling:**

Some bruising and swelling will normally occur. The skin in or near the surgical site can appear either lighter or darker than surrounding skin. Although uncommon, swelling and skin discoloration may persist for long periods of time and, in rare situations, may be permanent.

Page 2 of 7	Patient Initials	©2016 American Society of Plastic Surgeons®
This form is for reference purposes only.	It is a general guideline and not a statement of standard of	care. Rather, this form should be edited and
amended to reflect policy requirements of	f your practice site(s), CMS and Joint Commission requirer	nents, if applicable, and legal requirements of
your individual states. The ASPS does no	ot certify that this form, or any modified version of this form	m, meets the requirements to obtain informed
consent for this particular procedure in th	e jurisdiction of your practice.	

#### Informed Consent - Laser Resurfacing Procedures of Skin

Tation Tame:	Patient Name:	DOB:	MRN:
--------------	---------------	------	------

#### **Skin Sensitivity:**

Itching, tenderness, or exaggerated responses to hot or cold temperatures may occur after surgery. Usually this resolves during healing, but in rare situations, it may be chronic.

#### Pain:

You will experience pain after your procedure. Pain of varying intensity and duration may occur and persist after procedure. Chronic pain may occur very infrequently.

#### **Allergic Reactions:**

In rare cases, local allergies to tape, topical preparations or injected agents have been reported. Serious systemic reactions including shock (anaphylaxis) may occur in response to drugs used during surgery and prescription medicines. Allergic reactions may require additional treatment. It is important to notify your physician of any previous allergic reactions.

#### **Drug Reactions:**

Unexpected drug allergies, lack of proper response to medication, or illness caused by the prescribed drug are possible. It is important for you to inform your physician of any problems you have had with any medication or allergies to medication, prescribed or over the counter, as well as medications you now regularly take. Provide your surgeon with a list of medications and supplements you are currently taking.

#### **Asymmetry:**

Symmetrical body appearance may not result after surgery. Factors such as skin tone, fatty deposits, skeletal prominence, and muscle tone may contribute to normal asymmetry in body features. Most patients have differences between the right and left side of their bodies before any surgery is performed. Additional surgery may be necessary to attempt to diminish asymmetry.

#### **Unsatisfactory Result:**

Although good results are expected, there is no guarantee or warranty expressed or implied, regarding the results that may be obtained. The body is not symmetrical and almost everyone has some degree of unevenness, which may not be recognized in advance. One side of the face may be slightly larger, one side of the face droopier. The more realistic your expectations are, the better your results will appear to you. Some patients never achieve their desired goals or results, at no fault of the surgeon or procedure. You may be disappointed with the results of the treatment. Unsatisfactory results may NOT improve with each additional treatment.

#### **ADDITIONAL ADVISORIES**

#### **Medications and Herbal Dietary Supplements:**

There are potential adverse reactions that occur as the result of taking over-the-counter, herbal, and/or prescription medications. Aspirin and medications that contain aspirin interfere with blood clot formation, and therefore may contribute to more bleeding issues. Follow your surgeon's direction regarding stopping any medications before your laser treatment.

#### <u>Sun Exposure – Direct or Tanning Salon</u>:

The effects of the sun are damaging to the skin. Exposing the treated areas to sun may result in increased scarring, color changes, and poor healing. Patients who tan, either outdoors or in a salon, should inform their surgeon and either delay treatment, or avoid tanning until the surgeon says it is safe to resume. The damaging effect of sun exposure occurs even with the use of sun block or clothing coverage.

#### **Travel Plans:**

Any procedure holds the risk of complications that may delay healing and your return to normal life. Please let the surgeon know of any travel plans, important commitments already scheduled or planned, or time demands that are important to you, so that treatment can be timed accordingly. There are no guarantees

Inf	ormed Consent – Lase	er Resurfacing Procedures of Skin
Patient Name:	DOB:	MRN:
that you will be able to resume all activities in to you have a long flight/trip to prevent DVT/PE is		
Long-term Results: Subsequent alterations in the appearance of weight loss, weight gain, pregnancy, menopal		
<u>Jewelry:</u> Jewelry should not be brought with you at the	time of your procedure.	
Mental Health Disorders and Elective S	Surgery:	
It is important that all patients seeking to unde improvement rather than perfection. Compunavoidable, may require additional surgery, surgeon, prior to surgery, any history that you nalthough many individuals may benefit psycmental health cannot be accurately predicted.	rgo elective surgery hav plications or less than and often are stressfu nay have of significant d hologically from the re	satisfactory results are sometimes I. Please openly discuss with your epression or mental health disorders.
ADDITIONAL TREATMENTS NECESSA. There are many variable conditions that may how your tissue may respond or how wounds practice of medicine is not an exact science. A warranty expressed or implied, on the results possible to achieve optimal results with a sing available should additional procedures be advadditional procedures, including surgical fees,	influence the long-terms will heal. Secondary Although good results at that may be obtained le procedure. You and vised. There may be ad	treatments may be necessary. The re expected, there is no guarantee or . In some situations, it may not be your surgeon will discuss the options ditional costs and expenses for such
PATIENT COMPLIANCE Follow all physician instructions carefully; this to follow the skin care instructions provided by		ess of your outcome. It is important
<u>ATTESTATIONS</u>		
Smoking, Second-hand Smoke Exposured Patients who are currently smoking or use tobe a greater risk for significant complications such Individuals exposed to second-hand smoke a to nicotine exposure. Additionally, smoking recovery from anesthesia, with coughing are exposed to tobacco smoke or nicotine-contain complications. Please indicate your current states.	acco or nicotine product ch as skin loss and delate are also at potential risk may have a significant and possibly, increased aing products have a sig	s (patch, gum, or nasal spray) are at ayed healing and additional scarring. for similar complications attributable negative effect on anesthesia and bleeding. Individuals who are not nificantly lower risk of these types of
I am a non-smoker and do not use nicotin smoke exposure causing surgical complication		nd the potential risk of second-hand
I am a smoker or use tobacco/nicotine pro	oducts. I understand the	risk of surgical complications due to

smoking or use of nicotine products. \_\_I have smoked and stopped approximately \_\_\_\_ ago. I understand I may still have the effects and therefore risks from smoking in my system, if not enough time has lapsed.

I have been advised to stop smoking immediately and have been informed of the risks, benefits, expectations, and alternatives to my surgery if I continue smoking.

**Patient Initials** Page 4 of 7 ©2016 American Society of Plastic Surgeons® This form is for reference purposes only. It is a general guideline and not a statement of standard of care. Rather, this form should be edited and

Patient Name:	_ DOB:	MRN:
It is important to refrain from smoking for at least 6 w it is safe to return, if desired. I acknowledge that I wil timeframe, and understand that for my safety, the su	l inform my phy	sician if I continue to smoke within this
Smoking may have such a negative effect on your procedure may be done which will prove the prese cancelled and your procedure, scheduling fee, and disclose your smoking habits with your surgeon.	ence of nicotine	e. If positive, your treatment may be
Sleep Apnea/CPAP: Individuals who have breathing disorders such as "Obdevices (continuous positive airway pressure) or utilisubstantive risk for respiratory arrest and death vitreatment. This is an important consideration when serious complications, including death, that relate to	lize nighttime when they take evaluating the	oxygen are advised that they are at a e narcotic pain medications following e safety of procedures in terms of very
Please consider the following symptoms of sleep apr	nea:	
I am frequently tired upon waking ar	nd throughout t	he day
I have trouble staying asleep at nigh	t	•
I have been told that I snore or stop	breathing durir	ng sleep
I wake up throughout the night or co	nstantly turn fr	om side to side
I have been told that my legs or arm	s jerk while I'm	sleeping
I make abrupt snorting noises during	g sleep	
I feel tired or fall asleep during the d	ay	
It is important for you to inform and discuss any of tyour surgeon.	he above sym	ptoms that you have experienced with
COMMUNICATION ACKNOWLEDGEMENT — There are many ways to communicate with you. It problems or issues arise. Methods of communication available, email, and regular mail. If an emergency are in any necessary treatments. Please do not leave answering machine if any urgent or emergent situated messages. All attempts will be made to preserve your	is important to n include telep rises, keep us a message afte ion exists, as t	whone, text, pager, answering service if alerted to your progress so we may aid er hours or on weekends on the office there will be a delay in retrieving such
Please confirm below all acceptable ways of commu	nicating with yo	ou:
Telephone Home (	)	
Pager – Answering Service if available Email – with up to date email address ( Regular Mail and Delivery		@ )

Page 5 of 7

\_ Patient Initials

# Patient Name: Informed Consent – Laser Resurfacing Procedures of Skin PoB: MRN:

#### **DISCLAIMER**

Informed consent documents are used to communicate information about the proposed surgical treatment of a disease or condition along with disclosure of risks and alternative forms of treatment(s), including no surgery. The informed consent process attempts to define principles of risk disclosure that should generally meet the needs of most patients in most circumstances.

However, informed consent documents should not be considered all-inclusive in defining other methods of care and risks encountered. Your plastic surgeon may provide you with additional or different information, which is based on all the facts in your particular case and the current state of medical knowledge.

Informed consent documents are not intended to define or serve as the standard of medical care. Standards of medical care are determined on the basis of all of the facts involved in an individual case and are subject to change as scientific knowledge and technology advance and as practice patterns evolve.

It is important that you read the above information carefully and have all your questions answered before signing the consent on the next page.



1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

#### Informed Consent – Laser Resurfacing Procedures of Skin

Patient Name:	DOB:	MRN:	
CONSENT for SURGE	ERY/PROCEDURE or T	REATMENT	
I hereby authorize <u>Karen Szymanski, DO,</u> Resurfacing Procedures of Skin.	MPT and such assistants as may b	be selected to perform Laser	
I have received the following information shee	t: Laser Resurfacing Procedures	of Skin.	
I recognize that during the course of the operation and medical treatment or anesthesia, unforeseen conditions may necessitate different procedures than those above. I therefore authorize the above physician and assistants or designees to perform such other procedures that are in the exercise of his or her professional judgment necessary and desirable. The authority granted under this paragraph shall include all conditions that require treatment and are not known to my physician at the time the procedure is begun.			
I consent to the administration of such anesthe anesthesia involve risk and the possibility of co			
I understand what my surgeon can and cannot specific, about my outcome. I have had the operare realistic and which are not. All of my questrisks to the procedures I seek, as well as those Understanding all of this, I elect to proceed.	pportunity to explain my goals and ustions have been answered, and I us	understand which desired outcomes nderstand the inherent (specific)	
I consent to be photographed or televised before including appropriate portions of my body, for revealed by the pictures.			
For purposes of advancing medical education,	, I consent to the admittance of obs	ervers to the operating room.	
I consent to the disposal of any tissue, medica	al devices, or body parts that may be	e removed.	
I authorize the release of my Social Security number to appropriate agencies for legal reporting and medical-device registration, if applicable.			
I understand that the surgeons' fees are separ agreeable to me. If a secondary procedure is			
I realize that not having the operation is an opt	tion. I opt out of having this proced	lure	
a. THE ABOVE TREATMENT OR PROCED b. THERE MAY BE ALTERNATIVE PROCED C. THERE ARE RISKS TO THE PROCEDUR	URE TO BE UNDERTAKEN DURES OR METHODS OF TREAT		
CONSENT TO THE TREATMENT OR PROCIAM SATISFIED WITH THE EXPLANATION.	EDURE AND THE ABOVE LISTED	) ITEMS (1-11).	
Patient or Person Authorized to Sign for Patien	t		
Date/Time Wi	itness		